

Product Handling Information Sheet

Polystone[®] G-natural or coloured

1.	Company		
	Name/Address:	Röchling Engineering Plastics KG Röchlingstr. 1 D-49733 Haren/Germany Tel.: +49 5934 701-0, Fax –300 info@roechling-plastics.com www.roechling.com	
2.	Product details		
	Product/Article:	Technical semi-finished product or machined part	
	Abbreviated terms:	PP-HD / PE 300	
	Material characterisation:	Semi crystalline plastic	
	Main components:	Polyethylene, Stabiliser, Additives	
	Components subject to labelling:	None	
	Classification according to REACh:	Article	
	Notes:	-	
3. Product characteristics			
	Form/State:	Firm	
	Colour:	Natural or coloured	
	Odour:	Nearly odourless	
	Density:	0,93 – 0,98 g/cm³ (ISO 1183)	
	Melting range:	100°C – 140°C (DSC)	
	Glass transition temperature:	-	
	Thermal decomposition:	> 390°C	
	Flash point:	≈ 340°C	
	Ignition temperature:	> 350°C	
	Notes:		



Product Handling Information Sheet

Polystone[®] G-natural or coloured

4.	Danger warnings	
	Special risks for mankind and the environment:	None
	Notes:	-
5.	Handling and Storage	
	Handling:	Product can be worked with commercially machines and tools.
		Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions
	Storage:	Horizontally, dry, protected against frost and climatic influences
	Safety measures:	-
	Notes:	-
6.	Transport	
	Transport:	Non dangerous goods according to the transport regulations
		Secure against slipping
	Notes:	-
7.	Fire – fighting measures	
	Suitable extinguishing agents:	Water, foam, carbon dioxide (CO ₂), dry powder extinguishing agents
	Potential combustion products:	CO, CO ₂
	Necessary protection equipment:	Complete protection equipment for fire-brigade
		Use self-contained air respirators during strong smoke and steam development
	Notes:	Molten product has to be cooled with water. Fire residues must be collected and disposed of according to the local instructions



Product Handling Information Sheet

Polystone[®] G-natural or coloured

8.	Disposal references		
	Recyclability:	Check possibility of recycling The product is classified in accordance with the European-Waste Catalogue (EWC) as "Not dangerous"	
	EC Waste Catalogue:		
	EC Waste Code:	120105 Plastics shavings and turnings200139 Plastics of Separately collected fractions	
	Waste removal:	Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations	
	Notes:	-	
9.	9. References to marking, guidelines and regulations		
	Marking in accordance with	No labelling required	

Marking in accordance with EEC-guidelines:	No labelling requi
Other guidelines:	-
Notes:	-

10. Information about REACh

In accordance with the EU directive 1907/2006/EC (REACh), article 3, no. 3, our products are clearly defined as articles not subject to registration.

The European directive regarding chemicals no. 1907/2006 (REACh) enforced on 1st June 2007 stipulates Material Safety Data Sheets (MSDS) only for dangerous substances and preparations. Our products do not fall under this scope of REACh.

11. Other information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.