

1. Product and company identification

Commercial product name: NYLATRON® GS

Company (manufacturer): Quadrant EPP Belgium NV

I.P. Noord - R. Tavernierlaan 2 B - 8700 Tielt

Tel.: +32-51-42-35-11 Fax: +32-51-42-33-00



2. Composition and information on ingredients

This product is a chemical substance.

Chemical characterisation (eventually with synonyms): Polyamide 66 with MoS₂ filler (nylon 6% with MoS₂) filler

Chemical structure: PA 66

$$\begin{bmatrix} H & H & O & O \\ I & I & II & II \\ -N - (CH_2)_6 - N - C - (CH_2)_4 - C - I_1 \end{bmatrix}$$

CAS Nr. ('Chemical Abstract Service Registry Number'): PA66: 32131-17-2 / Mo%2: 1317-33-5

3. Hazards identification

Most important hazards: No critical hazards for man and environment in case of normal storing,

handling and usage

Specific hazards: Not applicable

4. First-aid measures

In case the plastic burns and combustion gases are inhaled, immediately, leave the room and get medical help.

In case mother material comes in contact with the skin, the skin needs to be rinsed theroughly with cold water. Do not try to remove the molten material.

Get neoical assistance for the removal of the tacky material and care of the burn.

5. Fire-fighting measures

Suitable extinguishing/media: water, foam, dry chemical, CO₂.

Extinguishing media which must not be used for safety reasons: None.

Special exposure hazards arising from the substance or preparation itself, combustion products or resulting gases: See section 10.

Special protective equipment for fire-fighters:

Firemen should wear self-contained breathing apparatus and protective clothing to prevent contact with skin and/or eyes. If exposed to combustion fumes in a high concentration, bring the victim into fresh air. If molten material contacts skin, cool rapidly with cold water and obtain medical attention for removal of adhering material and treatment of the burn.

LATRON® GS



6. Accidental release measures

Personal precautions: Not applicable

Environmental precautions: See section 12 & 13

Methods for cleaning up: See section 13

7. Handling and storage

Handling:

Technical measures: Not applicable **Precautions:** Not applicable

During machining of the stock shapes, evacuate swarf to prevent stipping Safe handling advice:

or tripping hazard

Storage:

Technical measures: Not applicable

Safe storage conditions: Inert under normal storage conditions

Incompatible products: Not applicable Safe packaging materials: Not applicable

8. Exposure controls / personal protection

Engineering measures to minimize worker exposure: None.

Personal protection:

None (except when the product burns - th. section 4 & 10). Respiratory protection: Gloves in case of frequent contact with warm material. Hand protection:

Safety goggles during machining, Eye protection:

Industrial hygiene: Follow good standard industrial practice. No special precautions.

9. Physical and chemical properties

Form: Stock shapes (plate, rod and tube) Appearance:

Colour: Grey-black

Odour: No special odour

Change in physical state: Boiling point/boiling range: Not applicable

Melting point/melting range: 255°C

Flash point: Not applicable

Vapour pressure: Not applicable

Self ignition temperature: 530°C ASTM D 1929

pH: Not applicable

Density (at 23°C): 1.15 g/cm3 ISO 1183

Solubility in water: Negligible

Thermal decomposition: > 320°C **ACCORDING TO**

NYLATRON® GS



Stability: In normal circumstances, the plastic and its chips are stable.

Conditions to avoid: Temperatures above the melting point/melting range (see section 2)

Hazardous decomposition products:

The main products formed in case of overheating or combustion are, apart

from harmless H₂O and CO₂, mainly CO (depending on the amount of available

environmental oxygen), NOx and traces of HCN.

11. Toxicological information

Acute toxicity: This material is not considered as being harmful to human health

Local effects: Not applicable

12. Ecological information

This material does not harm the environment but is not biologically degradable

13. Disposal considerations

Residual waste: When recycling is impossible, incineration or landfill. Disposal methods must

conform to local or other government regulations. This product does not

contain cadmium pigments or cadmium stabilizers.

Contaminated packaging: Not applicable

14. Transport information

International regulations: Not applicable

15. Regulatory information

Classification and labelling according to the relevant EU-directives is not required.

16. Other information

Read the product information brochures before using Quadrant EPP materials.

All information supplied by or on behalf of Quadrant Engineering Plastic Products in relation to its products, whether in the nature of data, recommendations or otherwise, is supported by research and believed reliable, but Quadrant Engineering Plastic Products assumes no liability whatsoever in respect of application, processing or use made of the aforementioned information or products, or any consequence thereof. The buyer undertakes all liability in respect of the application, processing or use of the aforementioned information or product, whose quality and other properties he shall verify, or any consequence thereof. No liability whatsoever shall attach to Quadrant Engineering Plastic Products for any infringement of the rights owned or controlled by a third party in intellectual, industrial or other property by reason of the application, processing or use of the aforementioned information or products by the buyer.

ww.quadrantplastics.com

NYLATRON® is a registered trade mark of Quadrant AG - ® 2003 Copyright Quadrant AG - Edition September 2003